Editors

Julia Griselda Ceron Breton
Joseph Quartieri
Michele Guida
Domenico Guida
Claudio Guarnaccia



Latest Trends in Energy, Environment and Development

- Proceedings of the 7th International Conference on Environmental and Geological Science and Engineering (EG '14)
- Proceedings of the 7th International Conference on Urban Planning and Transportation (UPT '14)
- Proceedings of the 3rd International Conference on Energy Systems, Environment, Entrepreneurship and Innovation (ICESEEI '14)

Salerno, Italy, June 3-5, 2014

Scientific Sponsors

University of Salerno, Italy

Kingston University London, UK

International Black Sea University, Tbilisi, Georgia

Parco Nazionale del Cilento Vallo di Diano e Alburni-Geopark, Italy

Latest Trends in Energy, Environment and Development

LATEST TRENDS in ENERGY, ENVIRONMENT and DEVELOPMENT

Proceedings of the 7th International Conference on Environmental and Geological Science and Engineering (EG '14)
Proceedings of the 7th International Conference on Urban Planning and Transportation (UPT '14)
Proceedings of the 3rd International Conference on Energy Systems, Environment, Entrepreneurship and Innovation (ICESEEI '14)

Salerno, Italy
June 3-5, 2014

Scientific Sponsors:

University of Salerno, Italy

Kingston University London, UK

International Black Sea University, Tbilisi, Georgia

Parco Nazionale del Cilento Vallo di Diano e Alburni- Geopark, Italy

Energy, Environmental and Structural Engineering Series | 25

ISSN: 2227-4359
ISBN: 978-960-474-375-9

LATEST TRENDS in ENERGY, ENVIRONMENT and DEVELOPMENT

Proceedings of the 7th International Conference on Environmental and Geological Science and Engineering (EG '14)

Proceedings of the 7th International Conference on Urban Planning and Transportation (UPT '14)

Proceedings of the 3rd International Conference on Energy Systems, Environment, Entrepreneurship and Innovation (ICESEEI '14)

Salerno, Italy
June 3-5, 2014

Published by WSEAS Press
www.wseas.org

All papers of the present volume were peer reviewed by no less that two independent reviewers. Acceptance was granted when both reviewers' recommendations were positive.

ISSN: 2227-4359
ISBN: 978-960-474-375-9

LATEST TRENDS in ENERGY, ENVIRONMENT and DEVELOPMENT

Proceedings of the 7th International Conference on Environmental and Geological Science and Engineering (EG '14)

Proceedings of the 7th International Conference on Urban Planning and Transportation (UPT '14)

Proceedings of the 3rd International Conference on Energy Systems, Environment, Entrepreneurship and Innovation (ICESEEI '14)

Salerno, Italy
June 3-5, 2014

Francesco Ferrini
Sarma Cakula
P. Pardalos
Eduardo Mario Dias
Germano Lambert-Torres
Zhuo Li
Shuliang Li
Frangiskos V. Topalis
Vincenzo Niola
Myriam Lazard
Jiri Klima
Goricanec Darko
Ze Santos
Ehab Bayoumi
Luis Tavares Rua
Igor Kuzle
Bruce Sharky
Nikolay Djagarov
Darko Goricanec
Maria do Rosario Alves Calado
Gheorghe-Daniel Andreescu
Patricia Jota
Bharat Doshi
Gang Yao
Lu Peng
Pavel Loskot
Aida Bulucea
F. Akgun
D. Kotzias
J. Van Mierlo
F. Rigas
Claudiu Covrig
Claudiu Mereuta
Cledson Akio Sakurai
Grabara Janusz
Ioana Adrian
Jose Manuel Mesa Fernández
K.R.M. Vijaya Chandrakala
Lucija Foglar
Maria Bostenaru Dan
Mojtaba Shivaie
Noori Saady
Nubli Abdul Wahab Nubli Wahab
Rimma Shiptsova
Sunil Kumar
Suzana Yusup
Abdelnaser Omran
Alena Bumbova
Ayca Tokuc
Chandra Sekar
Cornelia Aida Bulucea
Dragos Ilie
Dumitru-Alexandru Bodislav
Farhan Abdul Rauf
Francisc Popescu
Georgios Tsantopoulos
Hugo Rodrigues
Luis Loures
Nelson Duarte
Oprita Razvan
Panida Sampranpiboon
Radulescu Mihai
Rodica Badescu
Roman Mihai Daniel
Rosli Abu Bakar
Rusu Teodor
Saad Bakkali
Santhosh Kumar.B B
Vishnu Pratap Singh Kirar
Athanasios Galanis
Bertrand Tchanche
Catalin Popescu
Lamberto Tronchin
Muntean Mihaela-Carmen
Nikolaos Eliou
Nikos Loukeris
Santoso Wibowo
Tomas Ganiron Jr
Valentina E. Balas

Table of Contents

ISBN: 978-960-474-375-9

ISBN: 978-960-474-375-9

ISBN: 978-960-474-375-9

ISBN: 978-960-474-375-9

ISBN: 978-960-474-375-9

Plenary Lecture 1

Interactive Simulation in the Field of Human–Machine Interaction in Transport Systems: Tools and Methods for Research, Training and Education

Associate Professor Petr Bouchner
Head of Department of Vehicles at Faculty of Transportation Sciences
Driving Simulation Research Group
Czech Technical University in Prague
Czech Republic
E-mail: bouchner@lss.fd.cvut.cz

Abstract: Problems of reliability and safety of interaction between the human operator (driver) and him/her controlled artificial system (machine, vehicle) are the crucial research tasks within the scope of safety in transport. Most of the accidents happened due to the failure of a human factor. It can either happen when controlling (driving) the machine (vehicle) but also when maintaining it or even sooner when it is manufactured or designed. A failure is often caused either by a bad design of the system or an insufficient or unsuitable training of the human operators. Since the only communication between the operator and artificial systems is realized via the interfaces, just the field of interfaces is the topic of our contemporary research performed in our laboratories.
The lecture introduces problems of the Human-Machine Interaction (HMI) research field as well as problems of user interfaces in systemic point of view. These will be discussed in general, seamlessly moving towards the field of driver-vehicle interaction reliability and safety. The objective approaches and measures to investigate in the reliability of operator-machine interaction are discussed as well as mathematical modeling tools. Beside those general approaches, the lecture introduces in more detail our main research focus - ergonomics and human factors in vehicle control.
The presentation shows and explains main principles of the research tools – the advanced interactive ground vehicle simulators, which are continuously being developed by the Driving Simulation Research Group at Czech Tech Univ. It encompasses passenger cars, two-wheelers, trucks and/or rail engines. This field of R&D deals with simulation technology but also scenario and experiment design and mainly measurement tools and methods, which are fitted for particular experiment types. Indisputable role in this area is played by measuring devices, especially those which work with so called psychophysiological measures. The data measured during the experiments are usually hard to be interpreted in a straightforward way, mainly those which have biological nature - therefore also some advanced analytical and classification tools are discussed.
At the end of the presentation most recent and/or most valuable results and conclusions, which presents outputs of almost 15 years research effort in this area, will be shown. The lecture is accompanied with vivid videos.

Brief Biography of the Speaker: Academic career: 2003 - Master Degree at CTU Prague (Faculty of Electro-engineering), specialization in computer engineering, 2007 - Doctoral Degree at CTU Prague (Faculty of Transportation Sciences) “Driving simulators for HIM research”, 2011 degree of associate prof. (doc.) at CTU Prague. Since 2003 researcher and university teacher, since 2007 Head of Driving Simulation Research Group, since 2008 deputy head of Laboratory of Systems Reliability of FTS,CTU and Institute of Informatics of Academy of Sciences of Czech Republic, since 2011 head of Department of Transporting Technologies.
Scientific activities: research activities in interactive and driving simulator construction and development, HMI in vehicles, human factors in transportation, measurements and analysis of complex data, implementation of virtual reality tools into the experiments, design of experiments and their analysis, member of editorial board of scientific journal Neural Network World.
Since 2003 wrote several tens of papers, chapters in journals, book chapters, research report with topics on interactive simulators, human factors in transportation, ergonomics, driver’s attention and fatigue, worked in expert groups of PIARC and European Committee. Main solver of several national scientific and applied research projects (grants).

ISBN: 978-960-474-375-9

Plenary Lecture 2

Cooperative Intelligent Transport Systems

Professor Sadko Mandzuka
Faculty of Traffic Science
Department of Intelligent Transport System
University of Zagreb
Croatia
E-mail: mandzukas@fpz.hr

Abstract: Intelligent Transport System (ITS) is an holistic, control and ICT upgrade of classic transportation and traffic systems which significantly improves system performance, traffic safety, efficiency in transportation of goods and passengers, increases passenger protection and comfort, reduces pollution, etc. A particularly potent approach was recognized in the possibility of application of cooperative systems in traffic. The main characteristics of a cooperative approach are: a) Considers the driver, vehicle, infrastructure and other road users as a unique system, b) Considers operational and management needs of the entire system, c) Integrated approach to safety of traffic and all participants, d) Applies technology in a coherent manner in order to support overall integration of system parts. Currently we recognize next systems onto which the cooperative approach can be successfully applied: navigation systems and travel information systems, warning systems, emergency services' vehicle management, priority management in urban public transport, intelligent systems for speed management, support systems for endangered transport users and others. In the narrow sense of the cooperation definition, the following communications were recognized: V2V – vehicle to vehicle, V2I – vehicle to infrastructure, V2P – vehicle to pedestrian, I2P – infrastructure to pedestrian etc.

Brief Biography of the Speaker: Prof. Sadko Mandzuka is currently Head of Transportation Telematics Chair at the Department of Intelligent Transportation System, Faculty of Traffic Science, University of Zagreb. He has wide experience in the area of floating vessels control theory, Intelligent Transport System, artificial intelligence, traffic incident management system etc. He had the opportunity to work both in academic and industrial environments including Brodarski Institute, Consulting in the Innovation Area for SME's, etc. He is currently setting up a spin-off company providing consulting services for Intelligent Transport System (Incident Management System and other) while at the same time advancing his academic career. He is a founding member of Croatian Robotic Association, President of ITS-Croatia, and Collaborating member of Croatian Academy of Engineering. He is a member of Technical Committee on Marine Systems (Coordinating Committee on Transportation and Vehicle Systems - IFAC (International Federation of Automatic Control). Finally he has served in the program committees and as reviewer at several international Congress and Conferences. He is author of more than 100 internationally reviewed publications.

ISBN: 978-960-474-375-9

Plenary Lecture 3

Discrete Event Templates for Environment Sustainable Development

Associate Professor Calin I. Ciufudean
"Stefan Cel Mare" Universtity of Suceava
Faculty of Electrical Engineering and Computer Science
Department of Automatics and Computers
ROMANIA
E-mail: calin@eed.usv.ro

Abstract: Discrete Event Templates for Environment Sustainable Development expounds upon an important chapter of artificial intelligence; respectively, discrete event systems applied for modeling and simulation of control, logistic supply, chart positioning, conservation and protection of natural resources in order to have a clean and healthy environment capable to ensure a sustainable development of modern global society.
All these factors allow for a new design of artificial social systems dotted with intelligence, autonomous decision-making capabilities, and self-diagnosing properties.
Artificial social systems were defined by Y. Moses and M. Tennenholtz in their work "Artificial Social Systems," www.home.cs.utwente.nl: "An artificial social system is a set of restrictions on agents' behaviors in a multi-agent environment. Its role is to allow agents to coexist in a shared environment and pursue their respective goals in the presence of other agents."
Heuristics techniques, data mining planning activities, scheduling algorithms, automatic data identification, processing, and control represent as many trumps for these new systems' analyzing formalism.
This lecture aims to provide relevant theoretical frameworks and the latest empirical research findings. Social simulations grounded on solid conceptual models from the social sciences, such as discrete event social simulations, provide a fully traceable implementation of these concepts that readily accommodate the varying timescales in gaining a better understanding of the complex, adaptive system that is society.
The tutorial introduces real, e.g. implemented by the author, approaches and frameworks for modeling and simulation process, kinematic constraints of the trophic closed loop chains as well as modern issues for automatic control of diverse pollution systems.
We challenge the reader to reveal the development stage of social networks appliance upon environmental issues and to anticipate their future evolution in respect to technological and climatic changes.

Brief Biography of the Speaker:
• Academic Positions: Assoc. Professor Ph.D. Eng., Dept. of Automatics and Computers, Faculty of Electrical Engineering and Computer Science, "Stefan cel Mare" University of Suceava, Romania.
• Fields of Scientific Activities: Discrete Event Systems, Complex Measurement Systems, Reliability and Diagnosis of Control Systems, Environmental Management.
• He published 11 books, 14 patents and over 170 scientific papers in conference proceedings and journals.
• Honor Member of the Romanian Society of Electrical & Control Engineering - Member of the Romanian Technical Experts Corp.
• Technical Expert of the Romanian Ministry of Justice.
• President of the Romanian Society of Electrical & Control Engineering, Suceava Branch.
• He is a member of the editorial boards of several international scientific journals and conferences of control systems and electric engineering science. He was designated chairmen at 27 international conferences.

ISBN: 978-960-474-375-9

Plenary Lecture 4

Sustainability According to the Viable Systems Approach. The Relevance of the Philosophical Values of the Kybernetes

Professor Gandolfo Dominici
Vice President and Scientific Director
Business Systems Laboratory (Italy)
Tenured Assis. Professor of Business Management
Dep. SEAS – University of Palermo
Italy
E-mail: gandolfo.dominici@libero.it

Abstract: An organization is viable if it survives, remains united and is complete; it is homeostatically balanced both internally and externally and furthermore has mechanisms that allow it to grow, learn, develop, and adapt, and thus become increasingly more effective in its environment. The more the organization is able to preserve and regenerate, the more possibilities it has to maintain viability in the long term.
Therefore viability assumes the relevance of "time" as an important factor in decision-making and action. If we consider the organization to be a dissipative system, then in order to counterbalance the consumption of relevant resources, it is necessary to think ahead to a time horizon that extends beyond the mere achievement of functioning resources in the short to middle term.
Therefore, we can consider sustainability as systemic viability in the long term. This broader time horizon entails that the role of the "kybernetes" not be limited to the quest for functioning resources within a limited timeframe but rather must be developed in a more general way as a philosophy guiding the kybernetes in every decision and action.
This implies that it is essential to involve "values" in the decision-making and action-taking processes. For these reasons, the kybernetes' role, values and education are of extreme importance to the sustainability –and thus the long-term viability – of human organizations.

Brief Biography of the Speaker: Gandolfo Dominici is a Ph.D. in Business Management at "Sapienza" University of Rome in 2004. In 2003 he was visiting researcher at the Faculty of Economics of Nagasaki University, Japan developing a research about the cultural roots of Japanese Toyota Production Systems.
Since 2005 he is Assistant Professor of Business Management at the University of Palermo (Italy), where from 2006 he holds the Chair of Marketing and from 2008 of Systems and Organizational Processes. He got his tenure at University of Palermo in 2008.
He is co-founder, Vice President and Scientific Director of the scientific nonprofit association Business Systems Laboratory (B.S.Lab - www.bslaboratory.net), board member of the World Organisation of Systems and Cybernetice (WOSC- http://wosc.co/) and the Consorzio Universitario di Economia Industriale e Manageriale (CUEIM - www.cueim.com). He is author of about 50 published articles and books and member of the editorial board of 14 international peer reviewed journals.
His main research interests are: Systems Thinking, Managerial Cybernetics, Marketing, Consumer ethnography, SCM and Innovation Management.
For further information: www.unipa.it/gandolfodominici/

ISBN: 978-960-474-375-9

Plenary Lecture 5

Innovative Energy System, Environmentally Friendly for Thermo-magnetic Appliance

Associate Professor Carmen Vasile
LGECO - Design Engineering Laboratory
INSA - National Institute of Applied Sciences
Strasbourg, France
E-mail: carmen.vasile-muller@insa-strasbourg.fr

Abstract: Our aim and the goal of this innovative thermo-magnetic technology is to improve the energy efficiency of our equipments and to preserve our quality of life, by having access to all refrigeration and heating technologies, without damaging the planet.
This innovative energy system is based on the concept of the thermo-magneto effect which will be presented. The description of the prototypes design and the results for temperature span between negative -20°C up to +60°C, will be presented as well.
Energy conversion and thermal exchanges are in the heart of our daily life through the household appliances as fridges, freezers; at home: the air conditioner; in shops: the refrigerated show cases, beverage dispensers, cold room; in the food-processing industry: storage of foodstuffs, cold chain; in companies: industrial process; in motor cars: 90 % of new vehicles integrate an air conditioning system, etc…
For all these applications it is possible to completely eliminate the refrigerant gas system and to use instead the thermo-magnetic system, which is already in the pre-industrialization phase.
The presentation will show that the thermo-magnetic technology meets all the needs for versatile next-generation equipment for cooling and heating, because it is environmentally friendly; because it emits no greenhouse gasses and no toxic fluids (using a water/glycol mix for cooling circuits); because is energy efficient: 40% to 60% less energy consumption compared to classical systems; and also for economical reasons: initial costs are similar to existing systems, maintenance costs are lower.
We are convinced the energy is clearly one of the critical global challenges facing humankind, and we must put in work all our forces in order to find efficient sustainable solutions.

Brief Biography of the Speaker: Carmen VASILE MULLER is Associate Professor at INSA (Graduate School of Science and Technology) the Department of Energy, Heating & Air Conditioning and researcher at LGeCo (Design Engineering Laboratory) in Strasbourg, France.
She has a PhD in Energy Engineering (expertise in Systems and Heat & Mass Transfer).
She performs since 1990 research activities and academic teaching in the field of heat and mass transfer, fluid dynamics, energy efficiency, magnetic cooling, renewable energies.
Her research work is visible in an important number of international scientific journals and in national and international conferences all over the world. She is member of different scientific societies and she leads the subgroup of machines inside the Standardisation Group for Magnetic Refrigeration Working Party of the International Institute of Refrigeration (IIF-IIR).

ISBN: 978-960-474-375-9

Authors Index

ISBN: 978-960-474-375-9

ISBN: 978-960-474-375-9

Assessment of Naturally Occurring Radioactive Materials (NORMs) in soils from the Kuçova oilfield, Albania

GERTI XHIXHA[1], MARICA BALDONCINI[2], GIAMPIETRO BEZZON[1], GIAMPAOLO BUSO[1], IVAN CALLEGARI[1], TOMMASO COLONNA[3], GIOVANNI FIORENTINI[1], GAZMIRA GJETA[4], MARIOLA GOGA[4], ENRICO GUASTALDI[3], FADIL HASANI[5], FABIO MANTOVANI[2], LILIANA MOU[1], CARLOS ROSSI ALVAREZ[6], VIRGINIA STRATI[2], MERITA XHIXHA KAÇELI[2], ALESSANDRO ZANON[1]

[1] Legnaro National Laboratory
Istituto Nazionale di Fisica Nucleare (INFN)
Via dell'Università, 2 - 35020 Legnaro, Padova, ITALY
xhixha@fe.infn.it; giampietro.bezzon@lnl.infn.it; giampaolo.buso@lnl.infn.it; callegari@fe.infn.it; fiorentini@fe.infn.it; liliana.mou@lnl.infn.it; alessandro.zanon@lnl.infn.it

[2] Department of Physics and Earth Sciences
University of Ferrara
Via Saragat, 1 - 44100 Ferrara, ITALY
baldoncini@fe.infn.it; mantovani@fe.infn.it; strati@fe.infn.it; mxhixha@fe.infn.it

[3] Center for GeoTechnologies
University of Siena
Via Vetri Vecchi, 34 - 52027 San Giovanni Valdarno, Arezzo, ITALY
colonna3@unisi.it; guastaldi@unisi.it

[4] Faculty of Mathematical Engineering & Physical Engineering
Polytechnic University of Tirana
Square Nënë Tereza, 4 Tirana, ALBANIA
mariola-goga@hotmail.com; gazmiragjeta@hotmail.com

[5] Kosovo Agency for Radiation Protection and Nuclear Safety (KARPNS)
Office of the Prime Minister
Ish-Gërmia - 10000 Prishtinë, KOSOVO
fadil.hasani@rks-gov.net

[6] Padova Section
Istituto Nazionale di Fisica Nucleare (INFN)
Via Marzolo 8 - 35131 Padova, ITALY
carlos.rossialvarez@pd.infn.it

Abstract: - Oil and gas exploration activities belong to the industrial sectors involving the production of NORMs because of the enhancement in radium isotopes concentrations recorded in industrial residues. According to the European recommendations of the new Basic Safety Standards for radioprotection, each member state shall identify NORM industries and estimate their environmental and human impact. In this framework, the concentrations of uranium and thorium decay series, as well as of ^{40}K were measured in soil, sludge and oil sand samples collected in the Kuçova oilfield (Albania) by using a high resolution gamma-ray spectrometer (HPGe). The levels of radioactivity in soil samples were found to be comparable with the world mean activity concentrations. Oil sand samples showed the highest ^{40}K and ^{226}Ra activity concentrations, indicating the presence of shale traps, which are generally rich in natural radionuclides. No strong evidences on disequilibrium were observed from the ratio of ^{228}Th and ^{228}Ra activity concentrations. The concentration of

ISBN: 978-960-474-375-9

radionuclides in produced water and crude oil were found to be minimum detectable activities. From the radiological point of view, the excess of annual effective dose rate from industrial residues was estimated to be much lower than the recommended limits for population and workers.

Key-Words: -NORM; Natural radioactivity; Oil and gas extraction; Gamma-ray spectrometry, Radium isotopes; Kuçova oilfield; Albania

1 Introduction

Naturally Occurring Radioactive Materials (NORMs) are residues enriched with radionuclides of natural origin as a consequence of industrial processes [1]. The main sources of natural radioactivity are ^{238}U, ^{232}Th and their progenies and ^{40}K radionuclide which are present in the Earth's crust, in soils and in waters at varying abundances. The concentrations in soil and water can be enhanced by industrial processes, such as oil and gas extraction, production of phosphate fertilizers, coal mining and combustion, cement production, which are listed in [2] as industrial sectors involving NORMs. Therefore, the identification and monitoring of industrial processes involving NORMs should be carried out by countries for assessing the exposure of workers or members of the public.

During the last years, particular interest has been devoted to unconventional methods of shale gas extraction known as "fracking", which causes NORMs to be brought to the surface as part of the flowback and production brine. In oil and gas industry, specific attention has been dedicated to the contamination of oil equipment and oilfield environment with NORMs (e.g. scale, sludge and produced water). In particular, these residues are enriched in radium isotopes originating from uranium and thorium present in reservoir rocks. Indeed, while both uranium and thorium present in hydrocarbon reservoir rocks are essentially insoluble under reducing conditions, their progenies $^{226/228}$Ra concentrate in formation waters. For this reason, $^{226/228}$Ra are unsupported by the long-lived uranium and thorium parent radionuclides and, due to their half-lives of 1600 yr and 5.75 yr respectively, they tend to accumulate in formation water. The produced water (i.e. water brought in surface) may contain in solution various cations like barium, calcium, and strontium, as well as sulfate and carbonate anions, whose concentrations depend on the solubility of the original salts, which in turn is influenced by cation/anion ratio, pH, temperature and pressure. Since radium is chemically similar to Ba, Ca and Sr, as produced water is brought in surface and temperature tends to drop, it can consequently co-precipitate as radium sulfates or radium carbonates: this can lead to the subsequent formation of scales, depending on the concentration of ionic species in the produced water [3, 4]. ^{226}Ra and ^{228}Ra concentrations in scale can reach values as high as 1500×10^4 Bq/kg and 280×10^4 Bq/kg respectively, as reported by **IAEA** [5], but typically highly variable concentrations are observed [6].

The petroleum exploration and production in Albania began in early XX century with the construction in the Kuçova area of the oldest and the second biggest oilfield of the country. The primary oil extraction technique in Albania uses beam pumps, which allow for exploiting the pressure of the gas in the reservoir to force oil out and into the well. Since statistically 25 to 95% of the original oil has not been extracted after the well consumed the reservoir's natural drives, water and steam-drive improved recovery generally follows, in order to raise fluid level and pressure in the wellbores and reduce oil viscosity. Recently, several secondary recovery techniques, such as water and steam injection, have been employed in pilot wells in the Kuçova oilfield in order to increase the oil production rate. Several environmental studies have shown that the release of produced water in oil well surroundings, in decantation plants and in oil spillage sites can result in serious soil, water and air contamination due to BTEX compounds or crude oil [7, 8, 9]. However, there is a leak of data on the possible soils contamination and pollution with NORMs associated to the extraction processes of oil and gas in Albania.

This study is the first attempt to investigate the radioactivity concentration in soils of the Kuçova oilfield surroundings and in the oil industry by-products, such as oil-sands and produced water. The Kuçova oilfield is located in the South Central region of Albania, approximately 30 kilometers northeast of the Patos Marinza field. The field was discovered in 1928 and had over 1,700 wells drilled (with a typical maximum depth of approximately 1500 m), resulting in a cumulative production of 23.2 million barrels of heavy oil (13-16° API gravity) by the end of 2006. The actual oil extraction process may produce a weak

ISBN: 978-960-474-375-9

enhancement of natural radioactivity, since moderate temperature variations and low amounts of produced water are involved. Considering that secondary recovery techniques may result in relatively high enhancement of natural radioactivity in residues, these data will provide precious baseline information concerning the presence of natural radioelements in the investigated areas. This will allow also for an estimate of the environmental and human impact of oil industrial activities on the Kuçova area. Moreover, these results will open the way to possible implementations in the Albanian legislative framework of the European recommendation regarding the Basic Safety Standards for protection against the dangers arising from exposure to ionizing radiation [2].

2 Material and methods

2.1 Geological setting of the study area

The onshore petroleum exploration in Albania is mainly located in the Ionian Unit (ION) and in the Durrës basin, also called the Peri-Adriatic Depression (PAD) (Fig. 1). Their hydrocarbon potential is mainly related to the Neogenic molasse deposits located in the peripheral southeastern part of the PAD. These deposits are characterized by the presence of transgressive sequences on the top of underlying Mesozoic and Paleogene limestones. The oil currently explored in the Neogenic reservoirs results from a secondary migration from underlying limestone reservoirs (ION). In fact, the generation in situ of hydrocarbons was precluded in the molasse deposits. As a result of the lithological changes, the oil was accumulated mainly in stratigraphic traps of the PAD clastic deposits, which comprise a considerable number of sandy-clayey mega-sequences. In some cases these megasequences become more complete, beginning with conglomerates and clastic limestones and ending on the top with clays, shale, coal or gypsum. The thickness of the molasses increases from southeast to northwest, reaching a maximum of 5000 m [10].



Fig. 1. a) Simplified geological map of Albania, modified from Havancsák et al [11]. Geological units labels are as follows: AAL: Albanian Alps unit; ATT: Albanian-Thessalian trough; GAS: Gashi unit; ION: Ionian unit; KOZ: Korabi unit; KRA: Krasta unit; KRU: Kruja unit; MIR: Mirdita unit; PAD: Periadriatic depression; SAZ: Sazani unit; VER: Vermoshi unit. The red rectangle highlights the location of the Kuçova oilfield. b) The cross section III modified from Silo et al [10] is obtained by a seismic line located in the Kuçova region. PAD and ION are in yellow and green, consistently with panel a).

ISBN: 978-960-474-375-9

2.2 Sample collection and preparation

A total of 21 soil samples were collected at 0-10 cm depth in the surroundings of oil wells in the Kuçova oilfield (Fig. 2). Furthermore, 10 samples of oil sands and 3 samples of sludge (mixture of crude oil, oil sand and soil) were collected during the periodical pipe cleaning process. Samples were homogenized to a grain size of less than 2 mm and dried for at least 24 h at a temperature of 105°C till reaching constant weight. Produced water and crude oil were collected in polyethylene bottles directly from the decantation plants.



Fig. 2. Approximate locations of soil samples collected in the study area.

Samples were then transferred in cylindrical polycarbonate boxes of 180cm^3 volume and sealed hermetically. Samples were left undisturbed for at least four weeks prior to be measured with the HPGe gamma spectrometer, in order to establish radioactive equilibrium in the ^{226}Ra decay chain segment.

2.3 Gamma-ray spectrometry measurements

Samples were measured at the Laboratory of Nuclear Technologies Applied to the Environment at the University of Ferrara (Italy), using the MCA_Rad system described in Xhixha et al [6]. The fully automated spectrometer consists of two 60 % relative efficiency coaxial p-type HPGe gamma-ray detectors, with an energy resolution of ~1.9 keV at 1332.5 keV (^{60}Co). The absolute full energy peak efficiency of the MCA_Rad is calibrated using certified standard point sources (^{152}Eu and ^{56}Co). The overall uncertainty in the efficiency calibration is estimated to be less than 5%.

The radionuclides studied in this work are ^{226}Ra, ^{228}Ra, ^{228}Th and ^{40}K. The presence of ^{137}Cs in soils was also investigated. The ^{226}Ra activity concentration was determined by analyzing the two main gamma emissions of radon progenies ^{214}Pb (at 352 keV) and ^{214}Bi (at 609 keV) and calculating the weighted average. ^{228}Ra was determined through its direct progeny ^{228}Ac gamma emissions (at 338 keV and 911 keV). The ^{228}Th activity concentration was determined by analyzing the two main gamma emissions of radon progenies ^{212}Pb (at 239 keV) and ^{208}Tl (at 583 keV). The activity concentration of ^{40}K and ^{137}Cs were determined from their respective gamma emissions at 1460 keV and 662 keV. The acquisition time was set to 4 hours for soil, oil sand and sludge samples and 24 hours for produced water and crude oil samples.

2.3.1 Quality control

Certified reference material containing contaminated bulk soil from Syrian oilfield (IAEA-448) [12] was used for quality control. In general ^{226}Ra, ^{228}Ac, ^{212}Pb, ^{208}Tl and ^{40}K activity concentrations agreed within 3-10% with the reference values.

3 Results and discussion

3.1 Activity concentrations

The results on ^{226}Ra and ^{228}Ra activity concentrations with ±1σ standard deviation (in Bq/kg) in soil, oil sand and sludge samples are shown in Table 1. The activity concentrations of ^{226}Ra are generally higher at ±1σ standard deviation for oil sand samples respect to soil samples. On the other hand, the activity concentrations of ^{228}Ra in oil sands are typically comparable within ±1σ standard deviation with concentrations in soil samples. However, regarding the environmental legacy issue, only ^{226}Ra has long-term concern, since after 25 year only approximately 5% of ^{228}Ra still remains.

Several studies on activity concentrations in soil samples from oilfields show a great variability for ^{226}Ra and ^{228}Ra, respectively up to 9 Bq/kg and 11 Bq/kg in Tunisia [13], 42 Bq/kg and 28 Bq/kg in Kuwait [14], 52 Bq/kg and 34 Bq/kg in Nigeria [15], 248 Bq/kg and 29 Bq/kg in Nigeria [16], 10×10^3 Bq/kg and 260 Bq/kg in Canada [17], and 438×10^3 Bq/kg and 987×10^3 Bq/kg in Egypt [18]. The highest values of activity concentration in soil samples were reported in cases of study where higher concentration of ^{226}Ra and ^{228}Ra in scale was present. In cases of study similar to the Kuçova oilfield or when lower concentration of ^{226}Ra and

ISBN: 978-960-474-375-9

^{228}Ra in scale was involved, the concentrations of ^{226}Ra and ^{228}Ra in soil samples are comparable to our measurements.

Table 1. Concentration expressed in Bq/kg at ±1σ of ^{226}Ra and ^{228}Ra in soil, oil sand and sludge samples.

ID	^{226}Ra Bq/kg	^{228}Ra Bq/kg	ID	^{226}Ra Bq/kg	^{228}Ra Bq/kg
Soil			**Soil**		
S1	18.5 ±0.8	22.2 ±2.8	S17	13.5 ±0.7	15.5 ±1.1
S2	22.8 ±1.0	35.5 ±1.9	S20	18.3 ±0.9	19.7 ±1.8
S4	17.4 ±0.6	22.2 ±3.5	S21	11.9 ±0.9	11.1 ±1.0
S6	16.8 ±0.6	17.2 ±1.4	**Oil sand**		
S7	16.5 ±1.3	20.7 ±2.2	OS22-1	22.2 ±0.6	22.4 ±1.8
S8	15.0 ±0.6	15.7 ±1.3	OS22-2	23.5 ±1.4	25.2 ±3.2
S9	13.7 ±1.8	14.7 ±1.3	OS22-3	24.6 ±1.3	25.0 ±1.5
S10	16.6 ±0.6	18.0 ±2.7	OS22-4	24.4 ±0.7	25.3 ±1.6
S11-1	17.3 ±0.8	20.1 ±1.7	OS22-5	25.0 ±1.1	26.0 ±1.4
S11-2	16.8 ±0.6	16.6 ±2.1	OS23-1	20.6 ±0.6	19.3 ±2.0
S11-3	19.2 ±0.6	23.1 ±2.5	OS23-2	20.4 ±0.7	20.4 ±1.4
S11-4	16.1 ±0.9	18.3 ±1.2	OS23-3	22.4 ±1.8	22.9 ±1.5
S11-5	16.5 ±0.8	16.0 ±3.0	OS23-4	21.7 ±1.0	23.3 ±1.4
S12	17.5 ±0.6	19.7 ±2.2	OS23-5	20.7 ±0.7	21.6 ±1.4
S13	18.7 ±0.6	23.5 ±1.3	**Sludge**		
S14	17.3 ±0.6	17.4 ±1.3	SL3	17.8 ±0.7	25.6 ±1.7
S15	18.2 ±0.6	19.7 ±1.3	SL5	22.8 ±0.8	22.9 ±3.6
S16	18.1 ±0.6	17.7 ±1.2	SL19	15.4 ±1.2	17.2 ±1.4

In **Table 2** the average activity concentrations ±1σ standard deviation and the range are summarized for all studied radionuclides. Produced water and crude oil are not reported since all radionuclides measurements correspond to minimum detectable activities (MDA), equal to 0.4, 1.1, 0.4, 1.4, and 0.2 Bq/kg respectively for ^{26}Ra, ^{228}Ra, ^{228}Th, ^{40}K and ^{137}Cs. The results for soil samples are found to be lower or comparable to the world median activity concentrations of ^{40}K, ^{238}U and ^{232}Th, which are respectively 400 Bq/kg, 35 Bq/kg and 30 Bq/kg [19]. ^{137}Cs was detected only in soil and sludge samples, showing high variable concentrations. Indeed, for undisturbed soils with high presence of minerals, ^{137}Cs vertical migration is rather slow and the greater fraction of activity concentration is expected in top soil (0-10 cm). The non-presence of ^{137}Cs in oil sands can be used as a tracer for discriminating oil sand from soil samples. On the other hand, oil sand samples show a higher activity concentration of ^{40}K and ^{226}Ra with respect to soil samples. These concentrations are reasonable considering that oil traps in the Kuçova oilfield are commonly shales, which are known to have abundances of uranium and thorium. Furthermore, it is known that shales contain high abundances of ilmenite and K-feldspar, and therefore high abundances of K.

Table 2. Average activity concentrations (±1σ) and ranges for ^{40}K, ^{226}Ra, ^{228}Ra, ^{228}Th and ^{137}Cs in soil, oil sand and sludge samples.

Sample type	N°	^{40}K Bq/kg	^{226}Ra Bq/kg	^{228}Ra Bq/kg	^{228}Th Bq/kg	^{137}Cs Bq/kg
Soil	21	**297 ±48** 206÷384	**17 ±2** 12÷23	**19 ±5** 11÷36	**20 ±5** 11÷35	**6 ±4** 1÷13
Oil sand	10	**549 ±12** 532÷562	**23 ±2** 20÷25	**23 ±2** 19÷26	**24 ±3** 21÷29	n.d.
Sludge	3	**348 ±115** 220÷443	**19 ±4** 15÷23	**22 ±4** 17÷26	**23 ±6** 17÷28	**7 ±6** 2÷14

n.d. states for "not detected"



Fig. 3. ^{228}Th/^{228}Ra activity concentration ratios for oil sand samples. The equilibrium condition, corresponding to the case in which both radionuclides have the same activity, is shown with the green line and the maximum ratio assuming transient equilibrium with the red line.

However, radium isotopes are generally unsupported in formation water and, since during oil extraction a fraction of them can precipitate in oil sands, an enhancement of concentration, as well as disequilibrium in the decay chain can occur. Disequilibrium in ^{228}Ra decay segment was studied in terms of the ratio between activity concentrations of ^{228}Th and ^{228}Ra (**Fig. 3**). We observe ratio values systematically greater than unity: however this is

ISBN: 978-960-474-375-9

not a strong evidence of disequilibrium within the standard uncertainties.

3.2 Radiological assessment

The absorbed dose rate (*D*) in air from external gamma radiation at 1 m above ground level due to the presence of uniformly distributed natural radionuclides in measured soils is calculated according to **UNSCEAR** [19]:

$$D\ (\text{nGy/h}) = 0.0417A_K + 0.462A_U + 0.604A_{Th} \quad (1)$$

where A_K, A_U, A_{Th} are the activity concentrations (in Bq/kg) of ^{40}K, ^{238}U (as ^{226}Ra) and ^{232}Th (as ^{228}Ra). Secular equilibrium was assumed for the dose calculation. The average (at ±1σ uncertainty) outdoor absorbed dose rate in the Kuçova oilfield area is 32 ±5 nGy/h. The maximum and minimum calculated values are 21 and 46 nGy/h. This dose is lower than the population weighted average absorbed dose rate in outdoor air from terrestrial gamma radiation (60 nGy/h) [19]. Radiation exposure of workers in the oil-gas industry can occur by increased gamma dose rates due to the relatively higher radioactivity content in oil sand residues. Assuming that oil sands are uniformly distributed over the top soil, the absorbed dose rate was estimated to increase on the average of about 50%, i.e. to increase up to a maximum value of 47 ±5 nGy/h.

The radiological hazard regarding workers and population living in the Kuçova oilfield area is evaluated in terms of annual effective dose rate (*AEDR*). The evaluation of the annual effective dose rate was performed adopting an outdoor time occupancy factor equal to 20% and a conversion factor of 0.7 (Sv/Gy), which accounts for the dose biological effectiveness in causing damage to human tissue.

$$AEDR\ (\text{mSv/yr}) = D \times 10^{-6}\ (\text{mGy/h}) \times 8760\ (\text{h/yr}) \times 0.7\ (\text{Sv/Gy}) \times 0.2 \quad (2)$$

In **Table 3** the results concerning the radiological assessment are summarized. The obtained annual outdoor effective dose rate of 0.04 ±0.01 mSv/y in soils is lower than the worldwide annual effective dose value of 0.07 mSv/y reported by [19]. The excess of dose due to eventual systematic dispersion of oil sand residues in this area, assuming uniform distribution, would lead to an increase of annual effective dose rate of approximately 0.02 ±0.01 mSv/y. This value is negligible considering the recommended limit of excess of effective dose for the population (1 mSv/y) and for workers (6-20 mSv/y).

Table 3. The average (±1σ) and the range of absorbed dose rates (*D*) and annual effective dose rate (*AEDR*) for soil, sludge and oil sand samples.

Sample type	N°	D nGy/h	AEDR mSv/yr
Soil	21	**32 ±5** 21÷46	**0.04 ±0.01** 0.03÷0.06
Sludge	3	**36 ±8** 27÷42	**0.04 ±0.01** 0.03÷0.05
Oil sand	10	**47 ±2** 45÷50	**0.06 ±0.01** 0.05÷0.06

4 Conclusion

The results of this study are the first ever attempt on identifying industrial processes in Albania that may involve the enrichment of NORMs. In this framework, the Kuçova oilfield is chosen as study pilot area, where recently secondary recovery techniques of oil extraction have been introduced. The results will reveal the baseline information for local environmental legacy policies. The activity concentrations of ^{40}K, ^{226}Ra, ^{228}Ra, ^{228}Th and ^{137}Cs in soil samples collected in the Kuçova oilfield are 297 ± 48 Bq/kg, 17 ± 2 Bq/kg, 19 ± 5 Bq/kg, 20 ± 5 Bq/kg and 6 ± 4 Bq/kg, respectively. The ^{40}K and ^{226}Ra activity concentrations in oil sand samples are approximately 85% and 35% higher with respect to values measured in soil samples. These anomalies may be related to the presence of shale traps which are the oil reservoir. However the excess of dose due to eventual systematic dispersion of oil sand residues in this area, assuming uniform distribution, would lead to a negligible increase of annual effective dose rate of population and workers. From a radiological point of view, nowadays, processes of oil extraction do present risks neither for worker nor for the environment.

References:

[1] International Atomic Energy Agency (IAEA) *International basic safety standards for protection against ionizing radiation and for the safety radiation sources*. IAEA Safety Series No.115, Vienna, Austria, 1996. ISSN 0074-1892

[2] Council Directive *2013/59/Euratom of 5 Dec. 2013 laying down basic safety standards for protection against the dangers arising from exposure to ionising radiation, and repealing Directives 89/618/Euratom, 90/641/Euratom,*

96/29/Euratom, 97/43/Euratom and 2003/122/Euratom. L13, Vol. 57, ISSN 1977-0677. doi:10.3000/19770677.L_2014.013.eng

[3] AL. Smith, Radioactive scale formation, *Journal of Petroleum Technology*, Vol. 39, 1987, pp. 697–706.

[4] SF. Jerez Vegueria et al., Environmental impact studies of barium and radium discharges by produced waters from the "Bacia de Campos" oil-field offshore platforms, Brazil, *Journal of Environmental Radioactivity*, Vol. 62, 2002, pp. 29–38.

[5] International Atomic Energy Agency (IAEA) *Radiation Protection and the Management of Radioactive Waste in the Oil and Gas Industry*. IAEA Safety Reports Reries No. 34, Vienna, Austria, 2003. ISSN 1020–6450

[6] G. Xhixha et al., The worldwide NORM production and a fully automated gamma-ray spectrometer for their characterization, *Journal of Radioanalytical and Nuclear Chemistry*, No. 295, 2013, pp. 445–457.

[7] The Regional Environmental Center (REC), *Country Report Albania*: In *Strategic Environmental Analysis of Albania, Bosnia & Herzegovina, Kosovo and Macedonia*, REC Albania, 2000.

[8] I. Beqiraj et al., Environmental problems in Albanian fields of production and processing of the petroleum, *Natura Montenegrina*, Vol. 9, No. 3, 2010, pp. 673-685.

[9] A. Guri et al., The Impact of Oil Development Activities on Environment and Sustainable Development in Fier Area, *Academic Journal of Interdisciplinary Studies*, Vol. 2, No. 9, 2013, pp. 626-634.

[10] V. Silo et al., Hydrocarbon evaluation aspects in Neogene clastic reservoirs, Vlora-Elbasan Region, Albania, *Italian Journal of Geosciences*, Vol. 132, No. 2, 2013, pp. 220-227.

[11] I. Havancsák et al., Chromite-hosted Silicate Melt Inclusions from Basalts in the Stravaj Complex, Southern Mirdita Ophiolite Belt (Albania), *Turkish Journal of Earth Sciences*, .), Vol. 21, 2012, pp. 79–96.

[12] International Atomic Energy Agency IAEA, *Certified Reference Material, IAEA-448 Radium-226 in soil from oil field*, RS_IAEA-448_Rev.2, Vienna, Austria, 2013.

[13] H. Hrichi et al., Evaluation of radiological impacts of tenorm in the Tunisian petroleum industry, *Journal of Environmental Radioactivity*, Vol. 115, 2013, pp. 107-113.

[14] FH. Abdullah et al., Investigation of Naturally Occurring Radioactive Materials (NORM) in Oil Fields and Oil Lakes in Kuwait, *Society of Petroleum Engineers, International Conference on Health, Safety, and Environment in Oil and Gas Exploration and Production*, Nice, France 2008.

[15] GO. Avwiri and CP. Ononugbo, Natural Radioactivity Levels in Surface Soil of Ogba/Egbema/Ndoni Oil and Gas Fields, *Energy Science and Technology*, Vol. 4, No. 2, 2012, pp. 92-101.

[16] NN. Jibiri and C.M. Amakom, Radiological Assessment of Radionuclide Contents in Soil Waste Streams from an Oil Production Well of a Petroleum Development Company in Warri, Niger Delta, Nigeria, *Indoor and Built Environment*, Vol. 20, No. 2, 2011. pp. 246-252.

[17] R. Saint-Fort et al., Evaluation of TENORMs field measurement with actual activity concentration in contaminated soil matrices, *Journal of Environmental Science and Health Part A*, Vol. 42, 2007, pp. 1649-1654.

[18] S. Shawky et al., Characteristics of NORM in the oil industryfrom Eastern and Western deserts of Egypt, *Applied Radiation and Isotopes*, Vol. 55, 2001, pp. 135–139.

[19] United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR), *Exposures from Natural Radiation Sources*. UN, New York, 2000.